

Tech Info Library

A/UX: How to Create a Bootable Partition with HD SC Setup

Article Created: 12 August 1991

Article Last Reviewed: 3 July 1992 Article Last Updated:
TOPIC
A/UX 2.0 installation onto an Apple 160MB hard drive fails with a "no valid root partition" message. I used the "50% A/UX, 50% Macintosh OS" option within HD SC Setup.
DISCUSSION
The "50% A/UX, 50% Macintosh OS" option creates a disk with half the space in a Macintosh volume and the other half set up for a random A/UX file system. These partitions are not suitable for a bootable A/UX system.
To reserve 80MB for the Macintosh operating system with the remaining space for A/UX, follow these steps:
1) Bring up HD SC Setup, and select the standard A/UX Partition option.
2) Click the Custom button to do custom partitions.
3) Select the Macintosh Partition and delete it.
4) Click and drag the existing A/UX partitions closer to one another to concentrate all the gray space (representing unallocated space on the disk) at the bottom.
5) Create a new Macintosh partition; click in the gray space, select Macintosh Volume as the partition type, and make the size equal to the maximum available.
6) Click "Done" and quit HD SC Setup. Copyright 1991, Apple Computer, Inc.
Keywords: <none></none>

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 9243