



Tech Info Library

A/UX 3.0 Manual: DNS Domain Name Definition in A/UX 3.1 (10/94)

Article Created: 21 October 1994

TOPIC -----

The instructions in the A/UX 3.0 manual for configuring sendmail are out of date. See page 9-4 of the "Setting up network Mail" of Network Admin manual. It says the aux.mc file should contain the following line:

```
define(DOMAIN, 'DDaux.apple.com')
```

However, A/UX 3.1 doesn't contain this line, instead it contains the line:

```
DOMAIN(apple-aux)dnl
```

What do I do?

DISCUSSION -----

Your observation regarding the DNS Domain Name definition for the A/UX 3.0 manual on Page# 9-4 is correct, it states that users need to modify the following line:

```
define(DOMAIN, 'DDaux.apple.com')
```

This line is only available in A/UX 3.0, and is found in the "/usr/lib/sendmail.conf/cf/aux.mc" file. It does not apply for A/UX 3.1.

In A/UX 3.1, the line for "define(DOMAIN, 'DDaux.apple.com')" does not exist in "/usr/lib/sendmail.conf/cf/aux.mc". A/UX 3.1 has the line "DOMAIN(apple-aux)dnl". The word "DOMAIN" is a pre-defined Macro in A/UX 3.1.

We substitute a pre-defined Macro for "define(DOMAIN, 'DDaux.apple.com')" in A/UX v3.0. With A/UX 3.1, we add the "domain" subdirectory right below "/usr/lib/sendmail.conf" directory hierarchy.

Users should modify the "/usr/lib/sendmail.conf/domain/apple-aux.m4" file, more specifically, substitute their own DNS domain name with "aux.apple.com" in the following example:

```
DDaux.apple.com
```

Support Information Services
Copyright 1994, Apple Computer, Inc.

Keywords: kmanerr, ksts

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 16582