



Tech Info Library

Installing Versaform On Catalyst For The Apple III

You may move VersaForm version 1.3 Release 2 (Applied Software Technology) to a hard disk for use with Catalyst. These instructions assume you are moving VersaForm to a ProFile (with driver name .PROFILE). Substitute the name of your hard disk driver for .PROFILE if you wish to install VersaForm on a different hard disk.

COPY PROCEDURE:

1. Boot the Catalyst diskette (if you haven't already).
2. From the Catalyst main menu select the Systems Utilities Program.
3. Enter "F" for File handling commands.
4. Enter "M" for Make a new subdirectory.
5. Enter "CATALYST/VF"
6. Enter "50" for the subdirectory size.
7. In the same manner, create the subdirectories:"CATALYST/VFD" and "CATALYST/VF/WORK" also with room for 50 files.
8. Press "ESCAPE".
9. Enter "C" for Copy Files.
10. Copy all the files on diskette #1 to the subdirectory "CATALYST/VF/=" except for the following:

```
SYSTEM.MISCINFO    SYSTEM.PASCAL    SYSTEM.LIBRARY
SYSTEM.STARTUP     BJTERM    and    BJSTART.CODE
```

To do this, type ".D1/" and press the up arrow key. A list of files is displayed in a box. The up and down arrow keys allow you to move an inverse bar over the name of your choice. Pressing the right arrow key marks the file so as to include it in the copy process. Mark all files to be copied in this way. When all files are marked press RETURN.

11. After all files have been copied, repeat step 10 for disks #2, #3, and #4.

NOTE: The files "RMSG2", "RMSG1", "RMSG0" and "CPCMENU" are duplicated on disk 4. When System Utilities asks if the previous copy of these files on the ProFile should be deleted, respond with "N".

12. Copy all files on diskette #5 to the subdirectory "CATALYST/VFD/=".
13. Copy "BJSTART.CODE" from the 3 DRIVE/HARD DISK boot diskette to "BJSTART.CODE".
14. Copy "SYSTEM.LIBRARY" from the 3 DRIVE/HARD DISK boot diskette to the following files:

```
BJSTART.LIB
```

CATALYST/VF/DESIGN.LIB
CATALYST/VF/FILING.LIB
CATALYST/VF/REPORT.LIB
CATALYST/VF/CPRINT.LIB
CATALYST/VF/PF.LIB

Additional Instructions

In order for VersaForm to find all of its files on your hard disk you must modify all the directory names within the program.

1. Boot the "3 DRIVE/HARD DISK" diskette.
2. Select option "7" (Exit to Pascal).
3. Type "X" for X(ecute from the Pascal Command Line).

NOTE: If you are using a hard disk other than ProFile, substitute the VOLUME name of your hard disk for /PROFILE in steps #4, #12, and #16.

4. Type "/PROFILE/CATALYST/VF/BJSETUP" in response to "Execute what file?".
5. Enter "5" for Customize existing configuration.
6. Press "RETURN" for the "*BJTERM" question.
7. Enter "N" in response to "Reconfigure function keys?".
8. Enter "N" in response to "Reconfigure dummy data character?".
9. Enter "N" in response to "Reconfigure reverse video?".
10. Enter "Y" or "N" to Reconfigure printer characteristics as required.
11. Enter "Y" to Reconfigure volume/directory names.
12. Set Program volume/directory names as follows:

| | |
|-------------------|-----------------------------|
| Design program | = /PROFILE/CATALYST/VF |
| Filing program | = /PROFILE/CATALYST/VF |
| Report program | = /PROFILE/CATALYST/VF |
| Copy/Prnt program | = /PROFILE/CATALYST/VF |
| Rptwrk disk | = /PROFILE/CATALYST/VF/WORK |
| Default files vol | = /PROFILE/CATALYST/VFD |

13. Enter "N" for Diagnostic mode.
14. Enter "Y" to write new configuration to disk.
15. Since you do not want to write copies of the configuration to separate disks, enter "N" for this question.
16. VersaForm will ask you to write the default configuration file you have just created to a location on your hard disk Enter "/PROFILE/BJTERM" for the pathname requested.
17. Enter "Y" or "N" for Listing configuration to printer as required.

ADDING VERSAFORM TO THE CATALYST MENU

1. Select the Catalyst Editor in the Catalyst main menu.
2. Enter "E" to edit the menu.
3. Use the up and down arrow keys to position the inverse bar over the entry you want the program to precede. Press "A" to add a program entry.
4. You will be asked for the display name of this program. Enter "VersaForm".
5. Enter "CATALYST/PASCAL" as the interpreter pathname.

6. You will be asked for a list of any extra drivers this program requires. Press RETURN.
7. Press "RETURN" for Character set path.
8. Press "RETURN" for Normal screen.
9. Press "RETURN" to use the default Keyboard.
10. Press "RETURN" to accept the default Initial prefix.
11. Press "RETURN" for the "Max files allowed ..." question. This will allow the program to be exited only by the QUIT option in VersaForm. This procedure is suggested due to the fact that files may be lost if the double Apple escape option is used. You may exit to the Catalyst main menu by typing "Q" from the Pascal Command Line.
12. Enter "BJSTART.CODE" when you are asked for the program path.
13. You will be asked if this entry is correct. If it is, answer "Y" then press ESCAPE to exit to the main menu. If you made any mistakes during entry, enter "N". You may then enter the number of the item you wish to correct. When all items are correct, press ESCAPE. Then press ESCAPE again to exit to the main menu.
14. Enter "5" to update the INTERPS file. When you are asked if you want to recalculate the load address, enter "N".
15. Exit to the CATALYST main menu by entering "Q".

NOTE: Apple Computer Inc. is not responsible for the contents of this article.
Quark Technical Support

Keywords: <None>

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 1565