



# Tech Info Library

## Open Transport/PPP: Error Codes (2/97)

Article Created: 15 February 1997

TOPIC -----

This article provides a listing of the Open Transport/PPP (OT/PPP) error codes found in the Users Manual, pp. 62-63.

DISCUSSION -----

- 7102: OT/PPP did not load properly at system start up.
- 7103: OT/PPP could not set up a port.
- 7104: OT/PPP is out of memory.
- 7105: The requested action is not supported.
- 7106: One or more resources are missing from OT/PPP's installed files.
- 7107: The Remote Access Connections file is not compatible with the installed version of OT/PPP.
- 7108: An action requiring a connection was requested when there was no connection.
- 7109: The connection attempt or established connection was terminated by the user.
- 7110: The user name is unknown.
- 7111: The password is invalid.
- 7112: An unexpected error with no useful information has occurred.
- 7113: One or more of the installed OT/PPP files is damaged.
- 7114: The requested action could not be performed because OT/PPP was busy.
- 7115: The OT/PPP logical port is in an unknown state.
- 7116: The OT/PPP logical port is in an invalid state.
- 7117: The OT/PPP logical port has detected an invalid serial protocol.
- 7118: Login is disabled for the given user.
- 7120: The server administrator requires the user to enter a password.
- 7122: OT/PPP could not initialize Open Transport.
- 7123: The requested action could not be performed because OT/PPP is not fully initialized yet.
- 7124: TCP/IP is inactive and cannot be loaded.
- 7125: TCP/IP is not yet configured.
- 7126: PPP is not selected as the TCP/IP interface in the current TCP/IP configuration.
- 7128: The requested PPP protocol was rejected by the PPP peer.
- 7129: PPP authentication failed.
- 7130: PPP negotiation failed.
- 7131: PPP was disconnected locally.
- 7132: The PPP peer disconnected unexpectedly.

7133: The PPP peer is not responding.  
7134: The OT/PPP log file is not open.  
7135: The OT/PPP log file is already open.  
7136: The OT/PPP log entry could not be retrieved.  
7138: OT/PPP can not locate the active System Folder.  
7139: OT/PPP can not locate its Preferences folder.  
7140: There is a preexisting file using an OT/PPP type or creator.  
7141: There is a preexisting folder using an OT/PPP folder name and location.  
7142: The Remote Access Connections file is not open.  
7144: An unknown PPP control protocol type was received.  
7145: PPP received a packet with an invalid length.  
7146: PPP received a negotiable option with an invalid value.  
7147: PPP received a negotiable option with invalid flags.  
7148: PPP ran out of memory while negotiating with the peer.  
7152: PPP encountered an error with no useful information.  
7153: PPP is in an invalid state.  
7163: The user canceled the password entry dialog.  
7164: The user did not respond to the password entry dialog in time.  
7165: An unknown Open Transport serial port was referenced.  
7166: The OT/PPP logical port is not configured.  
7167: No AppleTalk services endpoints are available.  
7168: The user canceled the modem script ASK or the Manual Dialing dialog.

Copyright 1997, Apple Computer, Inc.

Keywords: knts,supt

=====

This information is from the Apple Technical Information Library.

ArticleID: TECHINFO-0020977

19970217 08:57:40.00

Tech Info Library Article Number: 20977