



Tech Info Library

How To Install MAE Man Page (6/94)

Article Created: 6 June 1994

TOPIC -----

This article describes how to install Macintosh Application Environment (MAE) man pages in SOLARIS and HP-UX systems.

DISCUSSION -----

The only real difference between the SOLARIS and HP-UX install of the MAE man page is the default directory for the man pages:

- SOLARIS is /usr/share/man or /usr/man
- HP-UX is /usr/man

It is possible that the man pages are actually in another directory, but there should be an environmental variable to lead you to the right location, in HP-UX this variable is MANPATH.

For SOLARIS Systems

To install/access the man page included with MAE, you need to "cp" or "mv" the apple/man1/mae.1 file to the /usr/share/man/man1 directory, and then run the "catman 1" command to rebuild only the man1 section of the man pages.

For example, we have installed the MAE man page in /export/home/apple the commands would look like:

```
cp /export/home/apple/man1/mae.1 /usr/share/man/man1
catman 1
```

Then "man mae" will give them the mae man info.

For HP-UX Systems

To install/access the man page included with MAE, you need to "cp" or "mv" the apple/man1/mae.1 file to the /usr/man/man1 directory, and then run the "catman 1" command to rebuild only the man1 section of the man pages.

For example, we have installed MAE man page in /usr/apple the commands would look like:

```
cp /usr/apple/man1/mae.1 /usr/man/man1
catman 1
```

Then "man mae" will give them the mae man info.

Support Information Services
Copyright 1994, Apple Computer, Inc.

Keywords: knts

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 15539