



Tech Info Library

MacX: How To Work With DEC Application Keypad (3/93)

Article Created: 24 March 1993

TOPIC -----

Operating System: VAX/VMS
Window System: DECwindows

MacX does not handle some of the Macintosh keypad keys correctly in a DECterm set to Application Keypad (SET TERM/APPL). Specifically, I found that the following keypad keys did not produce the application sequences:

Keypad Num Lock
Keypad =
Keypad /
Keypad *
Keypad +

In fact, these keys produced the character on the key face (except Num Lock, which, in TPU, produced an apparent Control-K (Learn) sequence).

DISCUSSION -----

You need to map the keys of the numeric keypad to send the PFn keysyms using the program MSAX\$MODMAP. This program is located in directory SYS\$SYSTEM:

For example, to map the top row of the keypads, the correct mapping is:

keycode 79 = KP_F1
keycode 89 = KP_F2
keycode 83 = KP_F3
keycode 75 = KP_F4

If you have PATHWORKS for Macintosh, DEC has some example mapping files in the directory MSA\$EXAMPLES. They are called:

MSAX\$INSCRIPTIONAL_EXTENDED_KEYBOARD.DAT
MSAX\$POSITIONAL_EXTENDED_KEYBOARD.DAT
MSAX\$STANDARD_KEYBOARD.DAT

You will find the above mapping in these files also.

You run MSAX\$MODMAP as a client by using this remote command in MacX:

```
MCR MSAX$MODMAP mapping-file-name
```

After that, your keypad keys should work correctly in Application Keypad mode.

For more information regarding MSAX\$MODMAP, refer to the DECwindows documentation.

Copyright 1993, Apple Computer, Inc.

Keywords: <None>

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 11857