

# Tech Info Library

# PowerBook 165c: Specifications (7/95)

Article Created: 9 February 1993

Article Reviewed/Updated: 20 July 1995

TOPIC -----

This article provides the specifications for the Macintosh PowerBook 165c computer system.

DISCUSSION -----

#### Microprocessor

\_\_\_\_\_

- Motorola 68030, clock speed 33 MHz
- 68882 math coprocessor, 33 MHz

#### System Software

\_\_\_\_\_\_

- Requires System 7.1 or later
- PowerBook control panel for setting battery conservation options
- PowerBook Display control panel for activating video mirroring and display dimming
- AutoRemounter control panel lets system sleep when connected remote file servers
- A System Enabler specifically for the PowerBook 165c

#### Memory and Storage

\_\_\_\_\_\_

- ullet 4MB pseudostatic RAM, expandable to 14MB maximum
- · RAM contents preserved in sleep mode; RAM is lost at shutdown
- One built-in Apple SuperDrive 1.4MB floppy-disk drive that reads, writes, and formats Macintosh, MS-DOS, OS/2, and ProDOS disks
- One built-in 80MB or 120MB SCSI hard-disk drive

## Display

\_\_\_\_\_

- 9-inch (22.6 cm) diagonal backlit passive-matrix liquid-crystal
- Built-in support for 256 colors from a palette of 4,096 colors
- Two video-out modes:
  - Video mirroring for simultaneous display of the same image on two screens
  - Dual display for full use of both screens
- External Display Options:

- Macintosh 12-inch Monochrome Display
- Macintosh 12-inch RGB Display
- AppleColor High-Resolution RGB Display
- Macintosh Color Display (14")
- Macintosh 16-inch Color Display
- Macintosh Portrait Display (15")
- Some VGA and SVGA displays

#### Interfaces

-----

- One power adapter port
- One HDI-30 SCSI port for external SCSI peripheral devices
- Two RS-422 serial ports, one of which is disabled if internal modem is installed
- One ADB (Apple Desktop Bus) port for mouse, keyboard, and so on
- One slot for optional modem
- One video-out port supporting 8-bit density and 256 colors
- · Security slot for use with third-party anti-theft and related products

#### Modems

\_\_\_\_\_

- Optional internal PowerBook Express Modem:
  - 14,400 bps (bits per second) data
  - fax send and receive at 9600 baud
  - Includes Express Fax software
- Optional internal 2400-bps modem:
  - fax send at 9600 baud
  - Includes Fax send software

#### Sound

\_\_\_\_

- Apple Sound Chip provides 8-bit sound -- capable of driving stereo headphones or other stereo equipment through the sound port
- Built-in omnidirectional microphone: output voltage 4 mV, peak-to-peak, at normal volume
- One stereo sound-out port for external audio amplifier
- One mono sound-in port, 8-bit sound sampled at 11 or 22 kHz

#### Keyboard and Trackball

\_\_\_\_\_

- $\bullet$  63 keys (U.S.) or 64 keys (ISO), standard Macintosh layout, 3.0 mm travel
- Two-level tilt adjustment
- Software indicates Caps Lock on screen
- Built-in 30mm trackball: the two buttons are electrically connected

#### Clock and Calendar

-----

• CMOS custom chip with long-life lithium battery

#### Disability Access

\_\_\_\_\_

- CloseView, Easy Access, and visible beep built in
- Third parties provide alternative input/output devices

#### Power

\_\_\_\_

- 2.9 AHr NiCad battery (1.5 to 2 hours of battery life)
- Line voltage: 100 to 240 volts (Note: an early product specification sheet for this model erroneously states that its line voltage is 110 to 120 V.)
- Frequency: 50 to 60 Hz
- Maximum current draw for all ADB devices: 200 mA (maximum of three ADB devices recommended)

### Size and Weight

-----

Height 2.29 in. (5.8 cm)
Width 11.25 in. (28.6 cm)
Depth 9.3 in. (23.6 cm)
Weight 7.0 lb. (3.2 kg)

#### Environment

\_\_\_\_\_

- Operating temperature: 50 to 104° F (10 to 40° C)
- Storage Temperature: -40 to 65° C (-40 to 148° F)
- Relative humidity: 20% to 80% noncondensing
- Maximum altitude: 15,000 feet (4,722 m)
- Maximum operating altitude: 10,000 feet (3,048 m)

#### Ordering Information

\_\_\_\_\_

M4900LL/A PowerBook 165c 4/80 M4920LL/A PowerBook 165c 4/120

# Article Change History

20 Jul 1995 - Corrected AutoRemounter misspelling; reformatted and reviewed.

05 Apr 1993 - Revised to correct voltage specification.

19 Mar 1993 - Corrected line voltage and math coprocessor name (68882).

Support Information Services

Copyright 1993-95, Apple Computer, Inc.

Keywords: specsht, kpbook

\_\_\_\_\_\_

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 11468