

Macintosh: How To Bypass Internal Hard Disk At Startup (5/96)

Article Created: 23 February 1988 Article Reviewed/Updated: 23 May 1996

TOPIC -----

How can I bypass the internal hard disk at startup? I know the Macintosh will boot from a floppy disk if I insert one. But what if I want to boot from an external hard disk or CD-ROM?

DISCUSSION -----

There's a way to start up your system from the next bootable SCSI device in the chain (an external hard disk, CD-ROM, and so on), or floppy disk, while keeping the internal hard disk off line. There's no way to start a Macintosh without also powering on the internal hard disk.

Note: Any Apple system (Macintosh IIci or newer) equipped with an Apple compatible CD-ROM drive (that works with Apple's CD-ROM driver) can startup from the Install Me First CD-ROM. For detailed instructions reference the article, "Macintosh: Starting From Floppy or CD-ROM Disk," Article 0018059 in the Tech Info Library.

Examples -- When You Need to Bypass the Hard Disk

You might want to bypass the hard disk when trying out some new software of dubious origin on a floppy disk. It's also useful in a situation where the proper System Enabler is no longer in your internal hard disk System Folder, but is in the System Folder of some other device in the SCSI chain.

Command-Shift-Option-Delete

In the case of a compact Macintosh, with its power switch in the back of the main unit, you'll have to either get someone to help you, or use a pencil clamped in your teeth as a "third hand."

The system starts up from the floppy disk or the next bootable SCSI device in the chain beginning with ID 6, and the internal hard disk doesn't even appear on the desktop.

Copyright 1989-96, Apple Computer, Inc.

Keywords: hts

This information is from the Apple Technical Information Library.

19960524 08:22:11.00

Tech Info Library Article Number: 2680