



Tech Info Library

Macintosh: Serial Port HSKo Voltages (1/95)

Article Created: 23 January 1995

TOPIC -----

I am trying to determine what voltages should be on the Macintosh serial connector.

DISCUSSION -----

As you look at the Macintosh serial connector, it is numbered like this:

```

      8 7 6
     5 4 3
      2 1

```

Pin	Signal Name	Voltage Specification
1	HSKo	Vouth 3.6V Voutl -3.6V Rl= 450ohms
2	HSKi	Vinh 0.2V Vinl -0.2V Ri= 12Kohms
3	TxD-	Vouth 3.6V Voutl -3.6V Rl= 450ohms
4	GND	Signal Ground
5	RxD-	Vinh 0.2V Vinl -0.2V Ri= 12Kohms
6	TxD+	Vouth 3.6V Voutl -3.6V Rl= 450ohms
7	Gpi	Vinh 0.2V Vinl -0.2V Ri= 12Kohms
8	RxD+	Vinh 0.2V Vinl -0.2V Ri= 12Kohms

Absolute values of specified voltages are minimums.
Ri is a minimum, Rl is a maximum.

Support Information Services
Copyright 1995, Apple Computer, Inc

Keywords: <None>

=====
This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 17044