

PowerBook 180c: Specifications (Discontinued)

Article Created: 7 June 1993 Article Reviewed/Updated: 22 March 1995

TOPIC -----

This article provides technical specifications for the PowerBook 180c computer, which was discountinued by Apple on 14 March 1994.

DISCUSSION -----

Microprocessor

- 68030, clock speed 33 MHz.
- 68882 Math Coprocessor, 33 MHz.
- 32-bit Address Bus, 32-bit Data Bus

RAM

- 4MB pseudostatic RAM on logic board.
- Expandable to 14MB with expansion PSRAM cards (2, 4, 6, 8, and 10MB capacities).
- Contents of RAM saved in Sleep mode, lost at shutdown

Storage

- One built-in 1.4MB Apple SuperDrive disk drive that uses high-density floppy disks; it reads, writes, and formats Macintosh, MS-DOS, OS/2, and ProDOS disks.
- One internal 80MB or 160MB hard disk.

System Software

- Requires System 7.1 or later
- System Enabler specifically for PowerBook 180c

Display

- _____
- 8.4 in. (226 mm) diagonal backlit color active-matrix LCD
- 640 x 480 pixels
- Up to 256 colors from a palette of 4096 choices
- 512K VRAM
- External display port (mini-15) supports 8-bit video

- External display options: Macintosh 12" Monochrome Display Macintosh 12" RGB Display AppleColor High Resolution RGB Display Macintosh Color Display Macintosh 16" Color Display Macintosh Portrait Display Some VGA and SVGA monitors
- Two video-out modes:
 - Video mirroring for simultaneous display of the same image on two screens.
 - Dual display for full use of both screens.

Battery

• NiCad (nickel-cadmium), provides 1.5 to 2 hours of use before recharging is necessary. (AC power adapter is included.)

Keyboard and Trackball

- Built-in keyboard with standard Macintosh layout and two-level tilt adjustment.
- Dual-button trackball, 30 mm diameter.

Clock/Calendar

• CMOS custom chip with long-life lithium battery.

Microphone

• Built-in omnidirectional; output voltage is 4 mV, peak to peak, at normal volume

Interfaces

- One Apple Desktop Bus (ADB) port for keyboard, mouse, and other devices.
- Two RS-422 serial ports for LocalTalk networking, printers, modems, and other devices.
- One HDI-30 SCSI port for hard disks, scanners, CD-ROM drives, and other devices.
- One slot for optional modem.
- One video-out port, supporting 8 bit density and 256 colors.
- One stereo sound output port for external audio amplifier or headphones.
- One mono sound-in port.
- Security slot for use with third-party equipment to lock the computer.
- SCSI Disk Mode with optional SCSI Disk Adapter

Modem

- Optional internal PowerBook Express Modem; 14,400 bits per second (bps) data with fax send and receive at 9600 bps; includes Express Fax software.
- Optional internal 2400 bps modem with fax send at 9600 bps; includes fax send software.

Sound Generator

_____ • Apple Sound Chip provides 8-bit sound, capable of driving stereo headphones or other stereo equipment through the sound port. Sound Input _____ • 8-bit sound, sampled at 11 or 22 kHz. Disability Access _____ • CloseView, Easy Access, and visible beep included with system software. These built-in solutions and third-party options provide alternative input and output devices for people with disabilities. ADB Power Requirements _____ • Maximum current draw for all ADB devices is 200 milliamps (a maximum of three ADB devices is recommended) Electrical Requirements _____ • Line voltage: 100 to 240 volts, 50 to 60 Hz Environmental Requirements _____ • Operating temperature: 50 to 104° F (10 to 40° C) • Storage Temperature: -40°F to +149°F (-40 to +65° C) • Relative humidity: 20% to 80% noncondensing • Altitude: Operating: 3048 m (10,000 ft.) maximum Shipping (non-operating) 0 to 15,000 ft. (0 to 4,722 m) Size and Weight _____ • Height: 2.34 in. (5.9 cm) • Width: 11.25 in. (28.6 cm) • Depth: 9.3 in. (23.6 cm) • Weight: 7.1 lb. (3.2 kg) Noise Level _____ Noise free except for disk drive use. Article Change History: 22 Mar 1995 - Updated altitude information. 14 Mar 1994 - Added discontinued information to title on 14-Mar-94 26 Aug 1993 - Updated to reflect correct storage temperature Support Information Services Copyright 1993-95, Apple Computer, Inc.

This information is from the Apple Technical Information Library.

19960215 11:05:19.00 Tech Info Library Article Number: 12225