



# Tech Info Library

## Fonts: Location Relative to Version of Operating System (2/95)

Article Created: 1 September 1993

Article Reviewed/Updated: 15 February 1995

TOPIC -----

The chart below describes where to properly place fonts relative to the version of the operating system in use.

DISCUSSION -----

	Bitmap	PostScript	TrueType
.			
.			
.System 6.x		I	I
.	Use	I	I
.	Font/DA	I	I
.	mover to	I System	I System
.	install	I	I file
.	fonts	I Folder	I
.	into System	I	I * (see below)
.	file	I	I
.			
.			
.System 7.0	Drag to	I	I
.	System	I Extensions	I System
.System 7.0.1	file **	I folder **	I file **
.			
.		I	I
.System 7.1	Font	I Font	I Font
.	folder **	I folder **	I folder **
.			
.			
.		I	I
.System 7.5	Font	I Font	I Font
.	folder **	I folder **	I folder **
.			
.			

### NOTE

\* TrueType fonts don't work with system software version 6.0.4 or earlier and versions 6.0.5 through 6.0.8 require the TrueType INIT.

\*\* System 7.0, System 7.0.1, and System 7.1 will automatically place Bitmap, PostScript, and TrueType fonts in the proper locations when they are dragged to the System Folder.

Article Change History:

15 Feb 1995 - Reviewed for technical accuracy.

06 Sep 1994 - Added System 7.5 information to article, revised title.

Support Information Services

Copyright 1993-95, Apple Computer, Inc

Keywords: sys75,ksts,sys7

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 13130