



Tech Info Library

LaserWriter 8.1.1: Disable Font Downloading? (5/94)

Article Created: 11 May 1994

TOPIC -----

I run into an issue regarding LaserWriter 8.1.1: when printing a document under LaserWriter 8.x the fonts that are used in the documents are downloaded before a query is enacted to determine if fonts are available at the printer or in this case a print spooler. This causes more traffic on the network than necessary, particularly since I print millions of documents a month. I am using LaserWriter driver 8.1.1, System 7.1, Quark XPress 3.2, printing to a COPS spooler (DOS) running PServer 3.0.1. (Hardware basic 486). Is there a way to not download these fonts to the spooler?

DISCUSSION -----

At the beginning of every 8.x print job, the driver first opens a query job to obtain information about the target device, including its features, fonts, and other characteristics. Some query examples include what Document Structure Convention is supported, the revision level of the PostScript interpreter, if binary transmission is supported, Font queries, and so on. Most likely this FontQuery does takes place in your setup, and could be confirmed by a packet trace of the print job.

A spooler receiving the query is expected to minimally return a default response. If the spooler cannot return a font list in a format that can be used by the printer driver, then the fonts will be downloaded with the print job.

We are not familiar with the "COPs spooler running PServer 3.0.1," but perhaps it falls into the same category as all Netware 3.x spoolers, which do not return the font list to a PostScript Level II LaserWriter 8.x driver query resulting in the fonts being downloaded. Note that Netware 3.x does support PostScript Level 1 font queries (such as those used by the LaserWriter 7.x driver).

Suggested Alternatives

Of course use only fonts built-in to your printer, thus eliminating fonts from having to be downloaded when processing your job.

Another solution might be to use AppleShare Print Server 4.x. However, AppleShare doesn't maintain the font list dynamically, but builds the font list at the time the printer is captured. Fonts downloaded with previous jobs will

not be reflected in the font list returned to the FontQuery. Since the font list isn't maintained dynamically, perhaps you could download and store typically used fonts via the LaserWriter Utility on a hard disk connected to the printer, then capture the printer with AppleShare Print Server. Thereafter, only the exceptional fonts used in a print job will be downloaded.

Support Information Services
Copyright 1994, Apple Computer, Inc.

Keywords: <None>

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 15317