



Tech Info Library

System 7 Pro 7.1.1: Mailbox Delivery Frequency (12/93)

Article Created: 29 October 1993

Article Revised/Updated: 13 December 1993

TOPIC -----

Mail sent via mail-enabled applications is copied to the Outbasket. The document is then sent to the destination device. If the destination device isn't available, how often does it attempt to deliver mail? How much time must pass before it returns mail as undeliverable?

Mail connection settings in the "I'm At..." dialog box may delay mail delivery. Does a disabled connection prolong the time PowerTalk will wait for the destination device?

DISCUSSION -----

The mailbox attempts delivery approximately every 15 minutes. For server-less mail, the messages are never considered undeliverable. You have to manually delete items in your Outbasket to get rid of them.

Since server-less mail is never considered undeliverable it doesn't matter if the connection is disabled or not. It won't affect the time PowerTalk will wait for the destination device.

Direct AppleTalk mail and mail sent through PMSAMs will attempt delivery indefinitely. Server-based mail is returned as soon as the mail is determined undeliverable or after five days.

Mail with Waiting status in the out-tray isn't deleted automatically. Mail with Done status is deleted after aging the number of days indicated in Mailbox preferences. The only exception is when mail is sent using a PMSAM and the PMSAM is removed from the key chain. In this situation all mail sent to the PMSAM is deleted along with the PMSAM.

Article Change History:

13 December 1993 - Added information about direct AppleTalk mail sent through PMSAMs.

23 November 1993 - changed title

Copyright 1993, Apple Computer, Inc.

Keywords: SUPT, SYS7

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 13808