

PowerTalk Key Chain: Resetting a Forgotten Password (10/95)

Article Created: 16 November 1993 Article Reviewed/Updated: 20 October 1995 TOPIC ------This article tells how to reset a PowerTalk password if a user forgets it. DISCUSSION ------Follow these steps: Step 1 Turn off collaboration services in the PowerTalk Setup control panel. Step 2 Throw away the PowerTalk Setup Preferences file in the Preferences folder. WARNING: All Key Chain, Preferred Personal Catalog, Mailbox Preferences, I'm at, and PMSAMs (Personal Message Access Modules) will be lost when you delete the PowerTalk Setup Preferences. Please make a note of your settings. Step 3 Restart the computer. Step 4 Turn on collaboration services in the PowerTalk Setup control panel. Step 5 Restart the computer Step 6 Double-click on the mailbox to redefine PowerTalk services. Article Change History: 20 Oct 1995 - Included two additional steps. 19 Jan 1995 - Added words forgot and forget. 08 Dec 1994 - Provided more information on PowerTalk Setup Preferences. Support Information Services Copyright 1993-95, Apple Computer, Inc.

Keywords: supt, sys7

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 13971