



Tech Info Library

System Errors 7.0.1: Negative Codes (-8000 to -32640)

Article Created: 31 January 1992

Article Change History

09/25/92 - REVIEWED

- For technical accuracy.

TOPIC -----

The following list provides an explanation of system errors -8000 to -32640 as it relates to system software version 7.0.1.

Here's an explanation of two symbols used in the lists:

[Items listed in brackets are old result code meanings]

???? This information wasn't available.

DISCUSSION -----

LaserWriter Driver Errors

-8132	????	Manual Feed time out
-8133	????	General PostScript Error
-8150	????	No LaserWriter chosen
-8151	????	Version mismatch between LaserPrep dictionaries
-8150	????	No LaserPrep dictionary installed
-8160	????	Zoom scale factor out of range

PictInfo Errors

-11000	pictInfoVersionErr	Version number not zero
-11001	pictInfoIDErr	Invalid PictInfo ID
-11002	pictInfoVerbErr	Invalid verb combination specified
-11003	cantLoadPickMethodErr	Custom pick method not in resource chain
-11004	colorsRequestedErr	Number out of range or greater than passed to NewPictInfo
-11005	pictureDataErr	Invalid picture data

Power Manager Errors

-13000	pmBusyErr	Power Manager IC stuck busy
-13001	pmReplyTOErr	Timed out waiting to begin reply handshake

- 13002 pmSendStartErr Power Manager IC did not start handshake
- 13003 pmSendEndErr During send, Power Manager did not finish handshake
- 13004 pmRecvStartErr During receive, Power Manager did not start handshake
- 13005 pmRecvEndErr During receive, Power Manager did not finish handshake

Mac TCP Errors

- 23000 ipBadLapErr Bad network configuration
- 23001 ipBadCnfgErr Bad IP configuration error
- 23002 ipNoCnfgErr Missing IP or LAP configuration error
- 23003 ipLoadErr Error in MacTCP load
- 23004 ipBadAddr Error in getting address
- 23005 connectionClosing Connection in closing
- 23006 invalidLength
- 23007 connectionExists Request conflicts with existing connection
- 23008 connectionDoesntExist Connection does not exist
- 23009 insufficientResources Insufficient resources to perform request
- 23010 invalidStreamPtr
- 23011 streamAlreadyOpen
- 23012 connectionTerminated
- 23013 invalidBufPtr
- 23014 invalidRDS
- 23014 invalidWDS
- 23015 openFailed
- 23016 commandTimeout
- 23017 duplicateSocket
- 23030 ipOpenProtErr Can't open new protocol, table full
- 23031 ipCloseProtErr Can't find protocol to close
- 23032 ipDontFragErr Packet too large to send w/o fragmenting
- 23033 ipDestDeadErr Destination not responding
- 23034 ipBadWDSerr Error in WDS format
- 23035 icmpEchoTimeoutErr ICMP echo timed-out
- 23036 ipNoFragMemErr No memory to send fragmented pkt
- 23037 ipRouteErr Can't route packet off-net
- 23041 nameSyntaxErr
- 23042 cacheFault
- 23043 noResultProc
- 23044 noNameServer
- 23045 authNameErr
- 23046 noAnsErr
- 23047 dnrErr
- 23048 outOfMemory

Primary or Secondary Init Code Errors

- 32768 svTempDisable Temporarily disable card but run primary init
- 32640 svDisabled Reserve -32640 to -32768 for Apple temp disables

Copyright 1992, Apple Computer, Inc.

Keywords: Sys7

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 9803