



# Tech Info Library

## Finder: How It Updates Remote Windows

Article Created: 10 July 1992

Article Last Reviewed:

Article Last Updated:

TOPIC -----

I have some questions about how the Finder does live updates for windows showing the contents of remote directories (for example, a folder on a file server).

Does the Finder do some type of periodic polling? If so, how often? What performance impact does this have on the local machine and the network?

RESPONSE -----

The Finder periodically (approximately every 10 seconds), checks and updates open windows from remote servers.

The key facts here are that the Finder checks to see if a window needs updating, and it does this only for windows currently open on the desktop.

When an update is necessary, you see double arrows flashing at the left end of the menu bar as the Finder retrieves the necessary information from the server. This information includes icons to be displayed (depending on view chosen), disk space used, number of files in the folder, and, of course, filenames of new files.

The impact the retrieval of this information has on a network is typically minimal. There is not enough information being retrieved to generate a large number of packets.

The retrieval of this information can have an impact on the performance of the local machine. If network access to the server is slow -- whether due to traffic or a slow link (such as serial-based) -- the Finder will be locked into this updating process, and your machine will be unavailable until the update is completed. Normally, this is not an issue, but slow links, high-traffic networks, multiple remote volumes mounted, or lost packets can delay the update enough to be noticeable.

The worst case scenario would be lost packets, which could add a delay of approximately 2 seconds to the update process. Although this would be

unusual, if it happens repeatedly, you should search for the cause of the lost packets because this indicates a larger network problem.

With System 7, you can choose a particular configuration for your views (via the Views control panel) that improves performance of Finder updates. In List Views, deselect the "Calculate folder sizes" option and select the smallest icon size for the best performance.

Copyright 1992, Apple Computer, Inc.

Keywords: <None>

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 10412