## Apple Multiple Scan 20 Display: Power Macintosh Cable Tight 3/94

| Article | Created: | 1 | April | 1994 |
|---------|----------|---|-------|------|
|---------|----------|---|-------|------|

\* RESTRICTED: Apple Internal and Support Providers Only \*

Not For General Public Release

TOPIC -----

This article describes a problem connecting the Apple Multiple Scan 20 display to the Power Macintosh models 7100 and 8100.

DISCUSSION -----

The Apple Multiple Scan 20 display cable fits snugly on the Power Macintosh models 7100 and 8100. The video cable on the display is too wide to fit properly into the video connecter on the back of the computer. Apple first became aware of this issue in January and have implemented a fix for a thinner cable that fits as expected into the video slot.

The new cable will be rolling into production in late May 1994, so it will be into distribution in June 1994. Until the new cable is in distribution, the solution is to push the connector into the slot as best as you can and turn the thumb screws until they grab the threads on the video board. You have to be careful not to strip the screws. The threads catch about 1 turn in, which is enough to make an adequate video connection and keep the cable securely attached. There is no loss of performance as a result of the cable fitting snugly.

Support Information Services Copyright 1994, Apple Computer, Inc

Keywords: kppc

\_\_\_\_\_

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 15048