

Apple Hard Disk: 2 GB Internal SCSI ID jumpers (7/95)

Article Created: 30 January 1995 Article Reviewed/Updated: 31 July 1995

> * RESTRICTED: Apple Internal and Support Providers Only * Not For General Public Release

TOPIC -----

What are the SCSI ID jumpers on the 2 GB Apple hard disk included with the Power Macintosh 8100/110? Also what is the average seek time and sustained data rate?

DISCUSSION -----

Transfer rate/average seek time: Less than or equal to 10ms Rotational speed: Greater than or equal to 5400rpm Sustained Data Rate: Greater than or equal to 5 MBytes/sec Manufacturer: IBM

SCSI ID

On the IBM 2 GB drive used in the Power Macintosh 8100/110 the 32 pin block connector pin outs for the SCSI ID are:

Pins 1 & 2 do not exist Pins 3 & 4 ID = 2 Pins 5 & 6 ID = 1 Pins 7 & 8 ID = 0

Pin 9 on the 32 pin block is missing, so you can use this as a reference point.

Article Change History: 31 Jul 1995 - Corrected misspellings; reviewed for accuracy. 06 Feb 1995 - Corrected the pin block used.

Support Information Services Copyright 1995, Apple Computer, Inc.

Keywords: <None>

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 17089