

Seagate 2 GB SCSI ID (9/96)

Article Created: 23 September 1996

* RESTRICTED: Apple Internal and Support Providers Only * Not For General Public Release

TOPIC -----

Customer ordered part 661-0180 2 GIG hard drive (Seagate ST32430N) and needs to change the SCSI ID to copy some information.

DISCUSSION -----

There is a small six pin connector (two rows of three pins) on the component side of the drive. The connector is on the side of the drive closest to the SCSI connector (which is on the end of the drive).

The pins are labelled 0, 1, and 2 on the board.

Begin_Table

Side View of Drive

Back of drive +---+ 2 1 0 SCSI connector | |--- * * * ------| | * * *

The SCSI ID can be changed by using jumpers on the pins in the following positions (X = Jumper position):

2	1	0		2	1	0	2	1	0		2	1	0	2	1	0	2	1	0	
*	*	Х		*	Х	*	*	Х	Х		Х	*	*	Х	*	Х	Х	Х	*	
*	*	Х		*	Х	*	*	Х	Х		Х	*	*	Х	*	Х	Х	Х	*	
I	D1		ID2				ID3				ID4			ID5			ID6			

End_Table

Copyright 1996, Apple Computer, Inc.

Keywords: hts

This information is from the Apple Technical Information Library.

19960924 07:31:19.00

Tech Info Library Article Number: 20440