



Tech Info Library

Apple QuickTake 200: Technical Specifications (2/97)

Article Created: 18 February 1997

TOPIC -----

This article contains the Apple QuickTake 200 technical specifications.

DISCUSSION -----

Technical Specifications

=====

Image Resolution

- 640 by 480 pixels (all images); high-quality and standard-quality modes

Color Resolution

- 24-bit color

Storage

- Space for 20 high-quality images, 30 standard-quality images, or a combination on included 2MB SmartMedia Card (additional cards may be purchased separately)

Electronic Shutter Speeds

- 1/4 to 1/5000 second

Aperture Settings

- f2.2 to f8.0; user-selectable

Focus Capabilities

- Fixed focus

Focus Range

- Focus-free lens (38mm equivalent) with three focal ranges:
 - Close-up: 3.5 to 5 inches (9 cm to 13 cm)
 - Portrait: 17 to 35 inches (45 cm to 90 cm)

- Standard: ~3 feet to infinity (0.9 m to infinity)

LCD Viewing Panel

- 1.8-inch panel on back side; provides live preview-ing at 30 frames per second; frame-by-frame play-back mode (3-, 5-, or 10-second intervals; review of up to nine images)

Power

- Runs on four AA lithium batteries
- Power-saving mode turns off the LCD to extend battery life
- Includes connector for optional AC adapter

Connectivity

- Built-in serial interface with appropriate cable for connection to Mac OS-based computers
- NTSC video output and video cable

Image Viewing/sharing Options

- Direct connection to any Mac OS-based computer
- Video connection to any standard television (NTSC) or VCR
- 9-up image display
- Auto-presentation mode

File Formats

- PICT, JPEG, TIFF, EXIF

Other Features

- 10 second self-timer
- Tripod mount

Software

- QuickTake Camera Access software
- PhotoShop Acquire Compatible Plug-in

Third-party Bundled Software

- Adobe PhotoDeluxe 1.0, to enhance images
- Adobe PageMill 2.0, to create web pages with images
- PictureWorks NetCard 1.0, to create Internet "picture postcards"

Size and Weight

=====

- Height: 3.0 in. (7.6 cm)
- Width: 5.1 in. (13.0 cm)

- Depth: 1.9 in. (4.8 cm)
- Weight: 8.5 oz. (241 g)

System Requirements

=====

- A Macintosh computer with a 68040 or later processor, with 16MB of RAM and 24MB of available space on the hard disk drive; or a Power Macintosh computer with 16MB of RAM and 24MB of available space on the hard disk drive
- System software version 7.5 or later
- A CD-ROM drive
- A display that supports thousands or millions of colors is recommended for optimal viewing.

Ordering Information

=====

Apple QuickTake 200 Digital Camera Order No. M5705LL/A

- QuickTake 200 digital camera for Mac OS users
 - One QuickTake 2MB SmartMedia Card
 - Clip-on optical viewfinder
 - Video cable for connecting to standard NTSC television (where available) •
- Third-party bundled software (Adobe PhotoDeluxe 1.0, Adobe PageMill 2.0, PictureWorks NetCard 1.0)
- QuickTake software (includes Camera Access, QuickTime IC system extension and drivers)
 - Serial cable for connecting camera to your Mac OS computer
 - Four AA lithium batteries
 - Hand strap
 - QuickTake 200 User's Guide

Optional QuickTake AC Adapter Order No. M5707LL/A

- Lets you power your QuickTake 200 digital camera using AC power

Optional QuickTake 4MB SmartMedia Card Order No. M5708G/A

- Allows you to store as many as 40 high-quality images or 60 standard-quality images

Please check with your local reseller for the availability of other third-party QuickTake 200 accessories.

Product specifications are subject to change. Check with your Apple reseller for the most current information about product specifications and configurations.

Copyright 1997, Apple Computer, Inc.

Keywords: specsht

=====
This information is from the Apple Technical Information Library.

ArticleID: TECHINFO-0020986

19970218 12:34:27.00

Tech Info Library Article Number: 20986