

QuickTime: Description of Its Components

Article Created: 13 December 1991 Article Last Reviewed: Article Last Updated:

TOPIC -----

This article describes QuickTime's three major components:

- the Movie Toolbox
- the Component Manager (and its components)
- the Image Compression Manager

The article concludes with a description of graceful degradation as it applies to QuickTime.

DISCUSSION -----

The Movie Toolbox

The Movie Toolbox includes the routines you need to play, edit, create, and otherwise manipulate time-based data in QuickTime files. If a file contains compressed image data, the Movie Toolbox automatically interacts with the Image Compression Manager to decompress the movie in the optimum way in real time. The Movie Toolbox includes routines with names such as CreateMovieFile, CutMovieSelection, IsMovieDone, and AddUserData.

The Component Manager

The Component Manager manages multiple components -- software packages that are somewhat like device drivers. Like drivers, components can be the software interface to external hardware. Unlike drivers, however, components (for example, a software-only image compressor) can do work by themselves. Components are also different from drivers in that components provide a high-level, device-independent way to get the job done. (In contrast, to use a driver you have to know its exact name and characteristics.)

At startup, the Component Manager searches for all files of type 'thng' and registers them. Once they are registered, your program can ask the Component Manager which components are available and can then use whichever one you choose. The most specific way the Component Manager can search for a component is by type (a four-character ID that characterizes a component as being able to respond to a specific set of calls). For example, 'imdc' components provide a standard set of image-decompression services. Note, however, that the 'imdc' component can be either a software-only decompression routine or the interface to a hardware-decompression NuBus card. A program using QuickTime can call FindNextComponent repeatedly to find out what kinds of decompression are available and can then decide whether to go with the fastest decompression available or perhaps a slower one that gives a better image.

The Component Manager also allows a component to describe itself in greater detail. The component's description (and a program's query) can also include a four-character subtype, a four-character manufacturer ID, and a 32-bit field of flags selected by a 32-bit mask field. By using full component descriptions and the Component Manager, your program can find the best component for the job without opening it or knowing its exact characteristics. If the component allows multiple simultaneous access, the Component Manager will allow multiple callers to use multiple instances of the component at the same time.

QuickTime 1.0 will include six component types:

- image compression ('imco')
- image decompression ('imdc')
- standard movie player ('play')
- component ('thng')
- video digitizer ('vdig')
- clock ('clok')

The Image Compression Manager

This set of routines is your program's gateway to imagecompression/decompression services. The Image Compression Manager does so many things that it is almost impossible to list them all. The paragraphs that follow describe the most important ones.

- The Image Compression Manager provides a standard high-level interface for the compression and decompression of images. These services are implemented as QuickTime components, so the Image Compression Manager uses the Component Manager to get its work done. These two managers work together to give your program easy, device-independent access to the best compression and decompression services available on the Macintosh running your program.
- The Image Compression Manager ensures that your efforts today will automatically work with new compression/decompression solutions in the future. The Component Manager can hide whether a component is software or hardware. This means that your QuickTime-aware program coded today can automatically take advantage of future compression/decompression solutions without changes in its code.
- The Image Compression Manager enhances the PICT definition in a way that benefits existing and new applications. As mentioned at the beginning

of this article, when QuickTime is present, any program -- QuickTimeaware or not -- can read PICTs that contain QuickTime-compressed pixmaps. (Apple engineers have extended the PICT definition by defining a new opcode value for compressed pixmaps. If a Macintosh is not running QuickTime, it simply skips the compressed image data.) Use this new capability to add more color and gray-scale pictures to your programs.

- When an application wants something done that the available compressor and decompressor components can't do, the Image Compression Manager helps the work get done. Sometimes none of the components can act on a request, because the image is at the wrong bit depth, is of the wrong type (indexed versus direct color), is too big to be done in one piece, or is being displayed across two different monitors. In such cases, the Image Compression Manager automatically steps in to convert the image to the proper type, hand it to the appropriate component, and then convert (if necessary) and return the result.

Compressor and Decompressor Components

QuickTime 1.0 will ship with compressor and decompressor components for three data types: still-image, video, and animation.

Use these components for still and moving pixmap images only; they aren't meant to be used on audio, text, or any other data type. Some compressors can be either "lossless" (the decompressed data is identical to the original) or "lossy" (the decompressed version has lost some of the original information). Many lossy compressed images can be much smaller than a lossless version could ever be and still decompress to an image that shows little or no difference from the original. (This is especially true for video and animation movies, where each image is seen for only a fraction of a second.)

Apple will supply three compressors (and their accompanying decompressors) with QuickTime 1.0: the Photo, Animation, and Video Compressors. Because these compressors are a part of QuickTime, they are a part of Macintosh system software, and this means they are available to any color-capable Macintosh.

Although these software-only compressors are very useful just as they are, they don't constitute Apple's full video-compression/decompression architecture.

QuickTime 1.0 Compressors

The following paragraphs describe each of the compressors that come with QuickTime 1.0. Please keep in mind that the "average" compression ratios quoted below vary widely with the content of the image and the nature (lossy or lossless) of the compression.

- Photo Compressor

The Photo Compressor is a software implementation of the baseline JPEG (Joint Photographic Experts Group) still-image standard. It will work

with images (as many as 24 bits of color per pixel) and can, depending on the image content, achieve 5:1 to 10:1 compression ratios with little or no visible change to the decompressed image. (Higher compression ratios are also possible, often with very good results.)

- Animation Compressor

The Animation Compressor is best at compressing and decompressing computer-generated animations-graphics sequences in which much of the image is "pure" and doesn't change between successive frames. (Animation is usually created by programs such as Electronic Arts' Studio/1, MacroMind's Director, and Paracomp's FilmMaker). The Animation Compressor has the very important quality of being able to decompress and play a movie (along with its synchronized sound) in real time from hard disk or CD-ROM.

Apple's Animation Compressor is based on run-length encoding (RLE) compression, which is very effective on images that contain "runs" of identical pixels. The "noise" of a digitized video image (where pixels change value slightly from frame to frame) usually defeats the advantages of RLE compression.

The Animation Compressor can work in either a lossless or a lossy mode. In addition, it can store movie frames by their differences -- that is, store only those pixels that have changed between successive frames. This method, called frame differencing or temporal compression, can achieve very high levels of compression. Compression ratios are often in the range 10:1 to 50:1.

- Video Compressor

The Video Compressor works well on digitized video or scanned imagery. Like the Animation Compressor, it can decompress and play a movie and its sound in real time. (Without the ability to play movies directly from a disk, QuickTime would be able to show only very short movies that could be stored in and played from memory.) This compressor can also use frame differencing; when it does, it can produce compression ratios in the range 5:1 to 25:1.

For still-image compression and decompression, trade-offs occur among five factors: compression time, decompression time, image quality, processing power of the computer used, and compression ratio. Along with the above trade-offs, movie compression and decompression add two more: the frame rate (the number of frames displayed per second) and the presence or absence of audio. Although video quality can vary with circumstances, the quality of the audio itself is usually assured: QuickTime gives audio higher priority than video.

Graceful Degradation

One very important property of QuickTime is its "graceful degradation." That is, when given a larger task than it can handle, QuickTime approximates or drops less important attributes and retains the most important ones for as long as it can. For example, if QuickTime can't do 32-bit colors, it uses the 8-bit colors it has and approximates more colors by dithering. Or, if QuickTime can't show a movie at its internal frame rate, it drops frames to keep up but always keeps the audio running smoothly. Copyright 1991, Apple Computer, Inc.

Keywords: specsht

This information is from the Apple Technical Information Library.

19960215 11:05:19.00 Tech Info Library Article Number: 9414