



Tech Info Library

AppleLink: How To Use the BITNET Mail Relay

This article last reviewed: 5 July 1990

TOPIC -----

This article discusses the AppleLink-BITNET mail relay.

DISCUSSION -----

AppleLink-BITNET Mail Relay Continues

The AppleLink-BITNET mail relay makes it possible to send mail from a user on BITNET to a user on AppleLink, and vice versa.

(IMPORTANT NOTE: Anyone may use the mail relay, as long as they adhere to the BITNET policy that all messages sent via BITNET are to be non-commercial and in direct support of academic research. In addition, all users of the mail relay should read the end-user agreement.)

Here's how to send mail between AppleLink and BITNET.

Sending to BITNET from AppleLink

- 1) In the "TO" or "CC" field, enter the BITNET address followed by @Internet#. Multiple BITNET addresses may be entered in either field and they may be intermixed with AppleLink addresses.

So it looks like this:

TO: john.rlb@stanford.bitnet@Internet#,smith12,
joan@mit.bitnet@Internet#
SUBJECT: Subject of message up to 32 characters

Sending to AppleLink from BITNET

- 1) In the "TO" field, enter the AppleLink address: USERID@AppleLink.APPLE.COM

So it looks like this:

TO: USERID@AppleLink.APPLE.COM
SUBJECT: Subject of message

Copyright 1990 Apple Computer, Inc.

Keywords: <None>

=====

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 5857