

Apple Adjustable Keyboard: Specifications (Discontinued) (5/95)

Article Created: 6 January 1993 Article Reviewed/Updated: 16 May 1995 TOPIC ------This article gives the technical specifications of the Apple Adjustable Keyboard. DISCUSSION ------Compatibility _____ • Plugs directly into any Apple Desktop Bus port on your Macintosh • Requires Macintosh system software version 6.0.7 or later General _____ • Total number of keys: 111 (ANSI), 112 (ISO) • Required voltage: 5 ± 10% V DC • Storage temperature: -40° to 116.6° F (-40° to 47° C) • Operating temperature: 50° to 104° F (10° to 40° C) • Operating humidity: 95% maximum, noncondensing at 77° to 104° F (25° to 40° C) • Two cables: 3-ft. (1.0 m) coiled cord and 13.4-in. (340 mm) cable • Total weight: 3 lb. 12 oz. (1.7 kg) keyboard and keypad with palm rests Characteristics of Typing Keys -------• Typical distance between keys: 0.75 in. (19.05 mm) • Total key travel: 0.138 in. (3.5 mm) • Peak tactile force: 0.69 ± 0.25 N • Travel to peak tactile force: 0.06 + 0.008/-0.016 in. (1.5 + 0.2/-0.4 mm)• Keyswitch minimum life: 10 million cycles MAIN KEYBOARD ================ Keyboard Array _____

• ANSI version: 68 keys total (47 printing keys)

```
• ISO version: 69 keys total (48 printing keys)
• Escape key
• Power-on key
• Volume up, volume down, mute, and record keys
• Green LED indicator for Caps Lock
• Two ADB 4-pin minicircular connectors
Size and Weight
_____
• Height (rear): 1.48 \pm 0.04 in. (37.5 \pm 1 \text{ mm}) with flip feet closed
• Width: 15.18 in. ± 0.04 in. (385.6 ± 1 mm)
• Depth: 6. 26 in. ± 0.04 in. (159 ± 1 mm)
• Weight: 2 lb. 5 oz. (1.055 kg) without palm rests; 2 lb. 7 oz. (1.223 kg)
 with palm rests
Keyboard Slope
_____
• 5° with flip feet closed; 12.5° with flip feet open
Keyboard Opening Angle
_____
• 30° maximum, 0° minimum
Height of Home Row
_____
• 1.77 in. (30 mm) minimum
Power Requirements
_____
• LED off: 7 mA
• LED on: 19 mA
EXTENDED KEYPAD
_____
Keypad Array
_____
• 43 keys total
• 18-key numeric keypad
• 15 function keys
• Four cursor-control keys in inverted-T layout
• Six special screen-editing keys
• Two ADB 4-pin minicircular connectors
Size and Weight
_____
• Height: 1.48 \pm 0.04 in. (37.5 \pm 1 \text{ mm}) with flip feet closed
• Width: 9.78 ± .04 in. (248.3 ± 1 mm)
• Depth: 5.66 ± .04 in. (143.7 ± 1 mm) front to back
• Weight: 14 oz. (.405 kg) without palm rest; 1 lb. 1 oz (.481 kg) with
 palm rest
```

Power Requirements

• Maximum: 7 mA

Support Information Services Copyright 1993-95, Apple Computer, Inc.

Keywords: SPECSHT

This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 11225