



Tech Info Library

LaserWriter Select 360 for Windows: Specifications (11/93)

Article Created: 10 November 1993

Topic -----

This article gives the technical specifications for the LaserWriter Select 360 for Windows.

Discussion -----

Marking Engine

- Fuji Xerox laser-xerographic

Print Quality

- PostScript: 300 or 600 dots per inch, selectable
- LaserJet IIIP (PCL 5) Emulation

Printer Memory

- 7 MB of RAM Standard, upgradable to 16 MB
- 4 MB of ROM

Printer Fonts

- 64 Fonts Are Provided, Including Such Fonts As ITC Avant Garde®, ITC Bookman®, Chicago, Courier, Delphian, Garamond Condensed, Geneva, Helvetica, Helvetica Black, Helvetica Narrow, Lubalin Graph, Lucinda Bright, Machine, Monaco, Nadianne, New Century Schoolbook, New York, Old English Text, Onyx, Oxford, Palatino®, Swing, Symbol, Times, ITC Zapf Chancery®, ITC Zapf Dingbats®, And Zeal.
- 40 additional TrueType fonts on disk from the Bitstream TrueType Font Pack

Laser

- Type: semiconductor laser
- Wavelength: 780 nanometers
- Output Power: 5 milliwatts maximum

Speed

- 10 pages per minute maximum. Actual speed depends on the images printed and the computer used.

Interfaces

- Simultaneous connection to parallel, LocalTalk and RS-232 serial interfaces

Recommended Duty Cycle

- Minimum life expectancy is 300,000 pages, with no monthly page limit

Paper Feed

- Automatic feed from paper cassettes and multipurpose tray; manual feed for single sheets

Energy Star

- The LaserWriter Select 360 for Windows is EPA Energy Star-compliant

Printing Materials

- Media: 20 to 24-lb. from 250-sheet feeder, up to 32-lb. from 50-sheet multipurpose tray

Paper Capacity

- Standard Cassette: Holds up to 250 sheets of U.S. Letter, A4, or B5 paper Sizes.
- Multipurpose Tray: Holds up to 50 sheets of U.S.legal, A4, U.S. letter B5, or executive paper, or 5 envelopes.
- Envelope Cassette: Holds up to 30 Com-10, Monarch, D1, or C5 envelopes.
- Optional Cassettes are available for 250 sheets of U.S. legal paper and 500 sheets of U.S. Letter or A4 paper.

Imageable Area

- Maximum printable line: 8.1 inches (207.7 mm)
- Minimum top and bottom margins: .18 inches (4.5 mm)
- Minimum left and right margins: .18 inches (4.5 mm)

Actual imageable area may vary depending on the application program. The printer senses cassette size and adjusts to maintain these margins.

Dimensions

- Height: 8.0 inches (25.8 Cm)
- Width: 15 inches (38 Cm)
- Depth: 18.3 inches (45.8 Cm)

Weight

- 26 pounds

Acoustic noise levels (bystander position)

- Standby: 36dBA
- Printing: 47 dBA

Operating Environment:

Humidity

- 20 To 80 percent, noncondensing

Toner cartridge transit environment

- -4° to 104° F (-20° to +40° C)

Input Electrical Requirements:

U.S./Japan

- 100-115 V (± 10%), 50-60 Hz (±2 Hz)

Europe/Australia

- 220-240 V (±10%), 50 Hz (±2 Hz)

Power Consumption:

Operating

- 450 W maximum at 115 V or 220 V

Ozone Emission:

- 0.05 parts per million maximum, measured in accordance with ECMA 129 of UL114 standards for ozone measurement

Ordering Information

LaserWriter Select 360 for Windows

Order No. M2729LL/A

- Apple LaserWriter Select 360 for Windows
- Toner sold separately
- Installation software and fonts disks
- Complete setup, learning, and reference documentation
- Limited warranty

LaserWriter 360 Toner cartridge

Order No. M1960G/A

LaserWriter 360 PostScript Fax Card

Order No. M2345LL/A

- Fax software for Windows, MS-DOS, and Macintosh systems
- RJ-11 phone connector standard
- Supports PostScript language and Group 3 standards

Apple LaserWriter Select 250-Sheet Feeder/Cassette
(supports A4, U.S. letter, A5, and executive paper sizes)
Order No. M2041G/A

Apple LaserWriter Select 500-Sheet Feeder/Cassette
(supports A4 and U.S. letter paper sizes)
Order No. M2042G/A

Apple LaserWriter Select 250-Sheet Letter Cassette
Order No. M2034G/A

Apple LaserWriter Select Envelope Cassette
(holds 30 envelopes)
Order No. M2031G/A

Apple LaserWriter Select Legal Cassette
(holds 250 sheets)
Order No. M2032G/A
Copyright 1993, Apple Computer, Inc

Keywords: SPECSHT

=====
This information is from the Apple Technical Information Library.

19960215 11:05:19.00

Tech Info Library Article Number: 13905